L Number	Hits	Search Text	DB	Time stamp
-	2	("5241682").PN.	USPAT;	2003/12/04 15:39
			US-PGPUB;	
	10/1/2		EPO; JPO;	
	9 1/ 40		DERWENT;	
	(56)	5241682.URPN.	IBM_TDB USPAT	2002/12/04 14-24
-		(reject or block) with ((non adj rout\$3) or	USPAT;	2003/12/04 14:24 2003/12/04 15:42
	Pour	traffc) with router	US-PGPUB;	2003/12/04 13:42
	270,	1.	EPO; JPO;	
	1000		DERWENT;	
	. 7		IBM_TDB	
- ~	Price of 41	(reject or block) with ((non adj routing) or	USPAT;	2003/12/04 15:55
C	" was	traffc)	US-PGPUB;	
	11/ /		EPO; JPO;	
	1' (DERWENT; IBM TDB	
_	4	(reject or block or deny or prevent or	USPAT;	2003/12/04 15:55
		filter) with ((non adj routing) or traffc)	US-PGPUB;	2003/12/04 13:33
		, , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(reject or block or deny or prevent or	USPAT;	2003/12/04 15:55
		filter) with (traffc)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	10647	(reject or block or deny or prevent or	USPAT;	2003/12/04 15:56
		filter) with traffic	US-PGPUB;	2003/12/04 13.30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	854	1 1 1	USPAT;	2003/12/04 15:56
		filter) with traffic) and 709\$.ccls.	US-PGPUB;	
			EPO; JPO; DERWENT;	
		•	IBM TDB	
_	837	(((reject or block or deny or prevent or	USPAT;	2003/12/04 15:56
		filter) with traffic) and 709\$.ccls.) and	US-PGPUB;	, ,
		network	EPO; JPO;	
			DERWENT;	
	452	///reject or block or denv or provent or	IBM_TDB	2002/12/04 15 56
_	452	<pre>((((reject or block or deny or prevent or filter) with traffic) and 709\$.ccls.) and</pre>	USPAT; US-PGPUB;	2003/12/04 15:56
		network) and router	EPO; JPO;	
	1	•	DERWENT;	
			IBM_TDB	
-	286	' ' ' ' ' 2	USPAT;	2003/12/04 15:56
		filter) with traffic) and 709\$.ccls.) and	US-PGPUB;	
	}	network) and router) and node	EPO; JPO;	
		. \/1	DERWENT; IBM TDB	
-	237	(((((reject or block or deny or prevent or	USPAT;	2003/12/04 15:56
		filter) with traffic) and 709\$.ccls.) and	US-PGPUB;	
		network) and router) and node) and link	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	181	((((((reject or block or deny or prevent or	USPAT;	2003/12/12 15:16
		filter) with traffic) and 709\$.ccls.) and network) and router) and node) and link) and	US-PGPUB; EPO; JPO;	
		state	DERWENT;	
			IBM TDB	
-	0	filter with traffic with (non adj routing)	USPAT;	2003/12/04 16:45
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	3510	filter with traffic	IBM_TDB	2002/12/04 15 15
	1519	TITLET MICH CLUTTIC	USPAT;	2003/12/04 16:46
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
	L		TRW_LDB	

-	332	(filter with traffic) with network	USPAT; US-PGPUB;	2003/12/04 16:46
	Drice,	\sim	EPO; JPO;	
			DERWENT;	
	' (,,)	((filter with traffic) with network) with	IBM_TDB	2002/12/04 17 20
-	19	node	USPAT; US-PGPUB;	2003/12/04 17:32
	2 vion	1 node	EPO; JPO;	
	91/	₩	DERWENT;	
	170		IBM_TDB	
-	(56)	5541911.URPN.	USPAT	2003/12/04 16:51
-	2	("5654958").PN.	USPAT; US-PGPUB;	2003/12/04 17:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5241682").PN.	USPAT;	2003/12/04 17:36
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5654958").PN.	USPAT;	2003/12/04 17:37
	/		US-PGPUB;	
	1 GXNiP	1400/	EPO; JPO; DERWENT;	.
	''' \		IBM TDB	
-	(9)	5654958.URPN.	USPAT	2003/12/04 17:37
-	8	("linkwithstatewithrouting").PN.	USPAT;	2003/12/04 17:37
			US-PGPUB;	. 1
5000			EPO; JPO; DERWENT;	
50400	100 /		IBM TDB	
	1/565	link with state with routing	USPAT;	2003/12/04 17:38
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	//		IBM TDB	
-	72	(link with state with routing) with database	USPAT;	2003/12/04 17:45
			US-PGPUB;	
-			EPO; JPO; DERWENT;	
			IBM_TDB	
-	26	("4747130" "4958343" "5068916"	USPAT	2003/12/04 17:41
		"5231634" "5233604" "5241542"		
		"5317566" "5530912" "5535195" "5631897" "5684794" "5687168"		
		"5745694"		
		"5805995" "5825772" "5881095"		
		"5896561"		
		"6052594" "6130881" "6192053" "6208870" "6246875").PN.		
-	273	link with state with database	USPAT;	2003/12/04 17:53
R	enseure	\mathcal{M}	US-PGPUB;	' '
9	1, 1x 40	ፓ	EPO; JPO;	
'	1/1		DERWENT; IBM TDB	
-	71	(link with state with database) with node	USPAT;	2003/12/04 17:45
		, ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	/ 32/	5128926.URPN.	USPAT	2003/12/04 17:50
-		link with state with database with updat\$3	USPAT;	2003/12/04 18:00
	$ \bigcirc $		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	2	("5654958").PN.	USPAT;	2003/12/04 17:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	L		מתו ייתי	

an	Due		
- 5	("4788721" "4825206" "5095480" "5128926" "5412654").PN.	USPAT	2003/12/04 17:58
- 32	5128926.URPN.	USPAT	2003/12/04 17:59
- 273	link with state with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 18:01
- 179	"273" with node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:03
so and	("273" with node) and 709\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 18:02
5(aprob)	(link with state with database) with node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:09
93)	6385174.URPN. (transmit or send) with node with link with (status or change or update)	USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:08 2003/12/04 18:15
Te viewed	(link adj state) with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 18:18
	((link adj state) with database) with advertisement	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 18:16
- 6 - 175	("5463620" "5675577" "5933422" "6084858" "6256309" "6363319").PN. (link adjl state) with database	USPAT;	2003/12/04 18:17
Tand		US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
- 91	("5331637" "6055561" "6252856" "6487170").PN.	USPĀT	2003/12/04 18:25
557770	LSA with distribute	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 18:27
- Clariend	LSA and 709\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 19:03
18	link with state with (head or center) with node	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 19:06
- 5	link with state with database with (head or center)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:07

	9	11		•	
-		[7]	link with state with database with node	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 19:09
_		11	link with state with database with border	DERWENT; IBM_TDB USPAT;	2003/12/04 19:09
	50	aprod		US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-		67)	link with state with simulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 15:51
-		703	open with shortest with path with first	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 15:51
-		250	(open with shortest with path with first) and 709\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 15:51
-		248	((open with shortest with path with first) and 709\$.ccls.) and routing	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/12 15:52
-		184	(((open with shortest with path with first) and 709\$.ccls.) and routing) and link and state	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/12 15:52
_		149	((((open with shortest with path with first) and 709\$.ccls.) and routing) and link and state) and node	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/12 16:29
_		0	link with state with routing with isp	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/12 16:30
-	۵	o Ryiewe/	link with state with routing with internet with provider	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/12 16:30
-	9		link with state with internet with provider	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/12 16:31
-		270	routing with internet with provider	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/12 16:31
_		212	routing with internet with service with provider	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/12 17:15
_		108	lsa with link with state	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/12 17:27
				DERWENT; IBM_TDB	

-	0	link with state with acknowledegment	USPAT;	2003/12/12 17:51
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	İ
-	1	("0565458").PN.	USPAT;	2003/12/12 17:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2 [("5654958").PN.	USPAT;	2003/12/12 17:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	į l
-	2	("5687168").PN.	USPAT;	2003/12/12 17:53
,			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	